

Safety Data Sheet

Synthetic Gear & Bearing Oil ISO 220

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name	:	Synthetic Gear & Bearing Oil ISO 220
Supplier	:	ValPar PO Box 3856, Hwy #1 East Regina, SK S4P 3R8 CANADA
Telephone	:	877-685-4886
Product/MSDS Information	:	306-791-5911
Canutec (24 hr)	:	613-996-6666

2. COMPOSITION/INFORMATION ON INGREDIENTS

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

3. HAZARDS IDENTIFICATION				
Physical State	:	Viscous liquid.		
Odour	:	Mild petroleum.		
WHMIS (Canada)	:	Not controlled under WHMIS (Canada).		
OSHA/HCS Status	:	While this material is not considered hazardous by the OSHA Hazard Com- munication Standard (29 CFR 1910.1200), this MSDS contains valuable information critical to the safe handling and proper use of the product. This MSDS should be retained and available for employees and other users of this product.		
Emergency Overview	:	No specific hazard.		
Routes of Entry	:	Dermal contact. Eye contact. Inhalation. Ingestion.		
Potential Acute Health Effects				
Inhalation	:	No known significant effects or critical hazards.		
Ingestion	:	No known significant effects or critical hazards.		
Skin	:	Slightly irritating to the skin.		
Eyes	:	Slightly irritating to the eyes.		
Potential Chronic Health Effects				
Chronic Effects	:	No known significant effects or critical hazards.		
Carcinogenicity	:	Not listed as carcinogenic by OSHA, NTP or IARC.		
Mutagenicity	:	No known significant effects or critical hazards.		
Teratogenicity	:	No known significant effects or critical hazards.		
Developmental Effects	:	No known significant effects or critical hazards.		
Fertility Effects	:	No known significant effects or critical hazards.		



Medical Conditions Aggravated

by Over-exposure

Repeated or prolonged contact with spray or mist may produce chronic eye irritation and sever skin irritation. Repeated skin exposure can produce local skin destruction or dermatitis.

See toxicological information (Section 11)

2

4. FIRST AID MEASURES		
Еуе	:	Check for and remove any contact lenses. Immediately flush eyes with plen- ty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical attention immediately.
Skin	:	In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash skin thoroughly with soap and water or use recognised skin cleanser. Wash clothing before reuse. Clean shoes thoroughly before reuse. Get medical attention immediately.
Inhalation	:	Move exposed person to fresh air. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. Loosen tight clothing such as a collar, tie, belt or waistband. Get medical attention immediately.
Ingestion	:	Wash out mouth with water. Do not induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Get medical attention immediately.
Protection of First-Aiders	:	No action shall be taken involving any personal risk or without suitable train- ing. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.
Notes to Physician	:	No specific treatment. Treat systematically. Contact poision treatment spe- cialist immediately if large quantities have been ingested or inhaled.

5. FIRE FIGHTING MEASURES

Flammability of the Product Extinguishing Media	:	May be combustible at high temperature.
Suitable	:	Use an extinguishing agent suitable for the surrounding fire.
Not Suitable	:	None known.
Special Exposure Hazards	:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Products of Combustion	:	Carbon oxides (CO, CO ²), smoke and irritating vapours as products of in- complete combustion.
Special Protective Equipment		
for Fire-Fighters	:	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
Special Remarks on Fire Hazards	:	Low fire hazard. This material must be heated before igniton will occur.
Special Remarks on Explosion Hazards	:	Do not pressurise, cut, weld, braze, solder, drill, grind or expose containers to heat or sources of ignition.



6. ACCIDENTAL RELEASE MEASURES

Personal Precautions	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Avoid breathing vapour or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment (see Section 8).
Environmental Precautions	:	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods for Cleaning Up		
Small Spill	:	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluable, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Large Spill	:	Stop leak if without risk. Move containers from spill area. Approach the re- lease from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent mate- rial e.g. sand, earth, vermiculite or diatomaceous earth and place in contain- er for disposal according to local regulations (see section 13). Dispose of via a licensed waster disposal contractor. Contaminated absorbent material may pose the same hazard as the spilt product. Note: see section 1 for emergen- cy contact information and section 13 for waste disposal.

7. HANDLING AND STORAGE

Handling	:	Put on appropriate protective equipment (see Section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eat- ing, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapour or mist. Keep in the original container or an approved alternative made form a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
Storage	:	Store in accordance with local regulations. Store in original container pro- tected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.



8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Consult local authorities for acceptable exposure limits.

Recommended Monitoring		
Procedures	:	If this product contains ingredients with exposure to limits, personal, work- place atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessi- ty to use repiratory protective equipment.
Engineering Measures	:	No special ventilation requirements. Good general ventilation should be suf- ficient to control worker exposure to airborne contaminants. If this product contains ingredients with exposure limits, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure below any recommended or statutory limits.
Hygiene Measures	:	Wash hands, forearms and face thoroughly after handling chemical prod- ucts, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove poten- tially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the worksta- tion location.
Personal Protection		
Respiratory	:	Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respi- rator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. Recommended: organic vapour filter.
Hands	:	Chemical-resistant, impervious gloves complying with an approved stan- dard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Recommended: neoprene, nitrile, polyvinyl alcohol (PVA), Vitron [®] .
Eyes	:	Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists or dusts.
Skin	:	Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Environmental Exposure Controls	:	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legisla- tion. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State	:	Viscous liquid
Flash Point	:	Open cup: 235°C (445°F) [Cleveland]
Auto-ignition Temperature	:	Fire Point: 321°C (609.8°F)
Flammable Limits	:	Not available
Colour	:	Pale yellow
Odour	:	Mild pretroleum



Odour Threshold	:	Not available
рН	:	Not available
Boiling/Condensation Point	:	Not available
Melting/Freezing Point	:	Not available
Relative Density	:	0.8594 kg/L @ 15°C (59°F)
Vapor Pressure	:	Not available
Vapor Density	:	Not available
Volatility	:	Not available
Evaporation Rate	:	Not available
Viscosity	:	226 cSt @ 40°C (104°F), 26.20 cSt @ 100°C (212°F), VI=148
Pour Point	:	-48°C (-54°F)
Solubility	:	Insoluble in water

10. STABILITY AND REACTIVITY

Chemical Stability	:	The product is stable.
Hazardous Polymerisation	:	Under normal conditions of storage and use, hazardous polymerisaton will not occur.
Materials to Avoid	:	Reactive with oxidising agents, acids, alkalis and reducing agents.
Hazardous Decomposition Products	:	May release COx, NOx, SOx, POx, smoke and irritating vapours when heated to decompositon.

11. TOXICOLOGICAL INFORMATION

Acute	Toxicity

<u>.</u>		
Conclusion/Summary	:	Not available
Chronic Toxicity		
Conclusion/Summary	:	Not available
Irritation/Corrosion		
Conclusion/Summary	:	Not available
Sensitizer		
Conclusion/Summary	:	Not available
Carcinogenicity		
Conclusion/Summary	:	Not available
Mutagenicity		
Conclusion/Summary	:	Not available
Teratogenicity		
Conclusion/Summary	:	Not available
Reproductive Toxicity		
Conclusion/Summary	:	Not available



12. ECOLOGICAL INFORMATION

Environmental Effects	:	No known significant effects or critical hazards.
Aquatic Ecotoxicity		
Conclusion/Summary	:	Not available
Biodegradability		
Conclusion/Summary	:	Not available
Other Adverse Effects	:	No known significant effects or critical hazards.

13. DISPOSAL CONSIDERATIONS

Waste Disposal

: The generation of waster should be avoided or minimized whenever possible. Significant quantities of waste product residues should not be disposed of via the foul sewer but processed in a suitable effluent treatment plant. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

Disposal should be in accordance with applicable regional, national and local laws and regulations. Refer to Section 7: HANDLING AND STORAGE and Section 8: EXPOSURE CONTROLS/PERSONAL PROTEC-TION for additional handling information and protection of employees.

14. TRANSPORT INFORMATION

Regulatory Information	UN #	Proper Shipping Name	Classes	PG*	Label	Additional Info
TDG Classification	Not regulated	-	-	-	-	
DOT Classification	Not available	Not available	Not available	-	-	

PG*: Packing group

15. REGULATORY INFORMATION

United States

	HCS Classification	:	Not regulated.	
-				

Canada

WHMIS (Canada)

: Not controlled under WHMIS (Canada).

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.



International Regulations

Europe Inventory

Canada Inventory	:	All components are listed or exempted.
United States Inventory		
(TSCA 8b)	:	All components are listed or exempted.

: All components are listed or exempted.

16. OTHER INFORMATION

Hazardous Material Information System (U.S.A.)	:	HEALTH1FLAMMABILITY1PHYSICAL HAZARD0PERSONAL PROTECTIONB
National Fire Protection Association (U.S.A.)	:	Health Flammability Instability Special
References	:	Available upon request. ™ Trademark of Suncor Energy Inc. Used under license.
Date of Issue Date of Previous Issue Responsible Name	::	August 20, 2018 February 2, 2015 Product Safety - KKB

To the best of our knowledge, the information presented herein has been compiled from sources considered to be dependable and is accurate. However, neither Brandt Tractor Ltd. nor its affiliates nor any of their respective directors, officers, employees, subcontractors, consultants or assigns, assume any liability whatsoever for the accuracy or completeness of the information contained herein. NO WARRANTIES ARE GIVEN; ALL IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE ARE EXPRESSLY EXCLUDED.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Brandt Tractor Ltd. and its affiliates (including their respective directors, officers, employees, subcontractors, consultants or assigns) assume no responsibility for injury to users or to third persons or for any damage to any property and user assumes all such risks.